

Physical Data

Height	Width	Length	Weight
64.675 Inches	76 Inches	171	Pounds
164.27 cm	193 cm	434 cm	Kilograms

With Treadcutting Attachment. Shipping width 75"

Engine Specifications

Mfg.	GE / Baldor	Model	Varies
Fuel	Electric	Engine Oil	N/A
Volts	200-230/400-460	Rated Engine RPM	1800
Phase	3 Phase	Rated Engine Output	15 HP
HZ	50 or 60		11.1 kW

Production Capability Data

*Rec. Maximum Tire Capacity	44" O.D. Truck Tires
Average Cutting Time	10 Seconds
Average Hourly Production	100 Car Tires 70 Truck Tires
Average Hourly Production based on Rim Weight	500 Pounds 226 Kilograms

*Rec = Recommended Size or Equivalent Size

Design and specifications are subject to change without notice

Hydraulic System Operating Parameters

Hydraulic Oil Tank Capacity	20 Gallons 75.7 Litres	Hydraulic Oil Specification	Dexron III High Temperature ATF
Hydraulic System Operating Pressure (Pressure @ Punch Cylinder)	2500 PSI 17,237 kPa		

Standard Product Features

Tire Loading Device	Hydraulic Pressure Gauge	Hydraulic Gear Pump	Emergency Stop Button
Operator Safety Shields	Oil Tank Shut-Off	Panel Box w/ Push-Button Start	
8.5" Harden Cutting Blades	Cutter Roller	Heavy-Duty Steel Construction	

Recommended Spare Parts List

Description	Qty	Part #	Description	Qty	Part #
Hydraulic Filter Element	2	80044	Cutter Roller Pin Weldment	1	80299
Steel Bushing / Cutter Roller	2	80260	Cutter Roller w/ Bushing	1	80142
Cutter Blade (8.5")	2	80029			

REUSE
 REDUCE
 RECYCLE



Eagle International, LLC, 389 W. Steamboat Drive, Dakota Dunes, South Dakota, USA 57049

Toll Free (800) 755-8473 / Fax (605) 242-5217

Email: tirecut@longlines.com / Website: www.eagle-equipment.com

