

Physical Data

Length	Width	Height	Weight	
87.5 Inches	83.5 Inches	76 Inches	3620	Pounds
222 cm	213 cm	194 cm		Kilograms

Engine Specifications

Mfg.	NA	Model	NA
Fuel	NA	Engine Oil	NA
Volts		Rated Engine RPM	
Phase		Rated Engine Output	
HZ			

Production Capability Data

Rec. Maximum Tire Capacity	19.5*25 GRADER TIRE ON DOWN (including tractor rears)
Ram Cycle Time / Punch	20 Seconds
Average Rim Weight	60 Pounds 27 Kilograms
Average Hourly Production	30 - 50 Tires / Rims
Avg Hrly Production based on Tire Wgt	1600 Pounds 725 Kilograms

*Rec = Recommended Size or Equivalent Size

Design and specifications are subject to change without notice

Hydraulic System Operating Parameters

Hydraulic Oil Tank Capacity	Gallons	Hydraulic Oil Specification	Need to pump between 22 - 25 gallons per minute @2,500 PSI
	Litres		
Hydraulic System Operating Pressure (Pressure @ Punch Cylinder)	2500 PSI		
	kPA		

Standard Product Features

Manual Tire Loading	Passenger Tire Plate
Operator Safety Shields	Hydraulic Clamp & Ram
Greaseless Duralon Guide Roller Bushings	
Operator Leg Shield	

Recommended Spare Parts List

Description	Qty	Part #	Description	Qty	Part #

REUSE
 REDUCE
 RECYCLE

